

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Previously Amended) A vehicle cooling package comprising:
  - a heat exchanger assembly;
  - a fan shroud mounted to the heat exchanger assembly, the fan shroud having a diverting surface;
  - a diverter plate mounted adjacent to the fan shroud and spaced therefrom;
  - a fan interposed between the fan shroud and the diverter plate the fan having blades having a natural radial discharge component wherein air being discharged by blades is expelled generally radially; and,
  - a vehicle hood enclosing the heat exchanger assembly, the fan shroud, the diverter plate, and the fan, the hood having at least one surface having air discharge apertures corresponding with the space between the diverting surface and the diverter plate when the hood is closed;
  - the diverting surface of the fan shroud and the diverter plate each being angled from the axis of the fan when the fan shroud and diverter plate are assembled to the vehicle, so as to closely match a the natural generally radial discharge angle of the fan blades, and the diverting surface and the diverter plate both extend toward the hood assembly when the hood is closed so that air is discharged from the fan at a high velocity from under the hood through the air discharge apertures and wherein a gap is provided between the hood and the diverter plate so that air is drawn from an engine compartment of the vehicle by a venturi effect of air exiting the hood enclosure at the air discharge apertures.
2. (Original) A vehicle cooling package according to claim 1 wherein the heat exchanger assembly is in fluid communication with an engine of a vehicle.
3. (Previously Amended) A vehicle cooling package according to claim 1 wherein the fan shroud has a fan aperture defined by a circumferential wall

extending outwardly from a main body portion and the diverting surface extends from the circumferential wall opposite the main body portion.

4. (Original) A vehicle cooling package according to claim 1 wherein the diverter plate has a central aperture.
5. (Previously Amended) A vehicle cooling package according to claim 1 wherein one or more diffuser screens are interposed between a lower portion of the diverter plate and the diverting surface of the fan shroud when the fan shroud and diverter plate are assembled to the vehicle.
6. (Original) A vehicle cooling package according to claim 1 wherein the heat exchanger assembly comprises one or more heat exchangers mounted to a frame.
7. (Original) A vehicle cooling package according to claim 6 wherein the fan shroud is mounted to the frame and provides a generally enclosed air passage between the heat exchanger(s) and the fan, which is partially disposed within the fan shroud.
8. (Original) A vehicle cooling package according to claim 1 wherein the fan shroud is a unitary member molded from a thermoset or thermoplastic material.
9. (Original) A vehicle cooling package according to claim 6 wherein the fan shroud includes one or more mounting flanges adapted to mateably engage the heat exchanger frame.
10. (Previously Amended) A vehicle cooling package according to claim 1 wherein the diverting surface and a main body portion of the fan shroud include stiffening ribs.
11. (Previously Amended) A vehicle cooling package according to claim 1 wherein the fan shroud has at least one plumbing recesses.

12. (Original) A vehicle cooling package according to claim 1 wherein the diverter plate has a main section and a removable section.
13. (Previously Amended) A vehicle cooling package according to claim 12 wherein the main section and removable section are each provided with mating flanges to facilitate attachment of the sections to one another by way of fasteners.
14. (Previously Amended) A vehicle cooling package according to claim 1 wherein the diverter plate includes a pair of side flanges extending perpendicularly outward from a main body.
15. (Previously Amended) A vehicle cooling package according to claim 14 wherein the side flanges serve as a mounting surface for screens adapted to fit over a gap between the fan shroud and the diverter plate.
16. (Previously Amended) A vehicle cooling package according to claim 1 wherein the diverter plate includes at least one plumbing recess or aperture to facilitate routing of plumbing under the hood.
17. (Original) A vehicle cooling package according to claim 1 wherein the diverter plate includes stiffening ribs.
18. (Previously Amended) A vehicle cooling package according to claim 4 wherein the diverter plate is mounted to the vehicle structure by way of a first mounting boss located directly above the central aperture and one or more additional mounting bosses providing additional attachment points for affixing the diverter plate to a front support of the vehicle.
19. (Original) A vehicle cooling package according to claim 18 wherein the first mounting boss is adapted to matingly fasten to a thermostat housing bolted to an engine block of the vehicle.
20. (Previously Amended) A vehicle cooling package according to claim 1

wherein the air discharge apertures of the hood are fitted with screens or grids.

21. (Previously Amended) A vehicle cooling package according to claim 1 wherein a vehicle front support has one or more air discharge vents which are generally aligned with a space between the diverting surface of the fan shroud and the diverter plate.

22. (Original) A vehicle cooling package according to claim 1 wherein a wheel well louver has one or more air discharge vents which are generally aligned with the space between the diverting surface of the fan shroud and the diverter plate.

23. (Previously Amended) A vehicle cooling package according to claim 1 wherein the fan blades have a radial discharge component of 60 to 80 degrees.

24-25. (Cancelled)

26. (Original) A vehicle cooling package according to claim 1 wherein a port is provided in the diverter plate for communicating fan discharge air directly to one or more pre-selected component(s).

27-65. (Cancelled)